

# APC BX700U-MS UPS (700VA, 230V, AVR)

PRD-202607-0050 · APC · Specification Sheet

Brand	APC
Model / MPN	BX700U-MS
Reference price	MYR 629.00 (reference only)
Type	UPS

## APC BX700U-MS UPS

**700VA | 230V | AVR**

### Warranty

- 2 year Manufacturer Limited Warranty ([APC Service Center](#))

### SPECIFICATIONS

## Specifications

<b>Model</b>	BX700U-MS
<b>Output</b>	<p>Output power capacity: 390 Watts / 700 VA</p> <p>Max Configurable Power (Watts): 390 Watts / 700 VA</p> <p>Nominal Output Voltage: 230V</p> <p>Output Frequency (sync to mains): 50/60 Hz +/-1 Hz</p> <p>Output Frequency (not synced): 50/60 Hz +/-1 Hz</p> <p>Topology: Line Interactive</p> <p>Waveform type: Stepped approximation to a sine wave</p> <p>Output Connections: (1) IEC 320 C13 (Battery Backup)</p> <p>Transfer Time: 4ms typical : 6ms maximum</p>
<b>Input</b>	<p>Nominal Input Voltage: 230V</p> <p>Input frequency: 50/60 Hz +/- 3 Hz (auto sensing)</p> <p>Input Connections: IEC-320 C14, NEMA 5-15P</p> <p>Cord Length: 1.22 meters</p> <p>Input voltage range for main operations: 140 - 300 V</p> <p>Number of Power Cords: 2</p> <p>Type of Input Protection Required: 3-pole breaker</p>
<b>Batteries &amp; Runtime</b>	<p>Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte : leakproof</p> <p>Typical recharge time: 6 hour(s)</p> <p>Replacement Battery: APCRBC110</p> <p>Battery Volt-Amp-Hour Capacity: 81</p>
<b>Communications &amp; Management</b>	<p>Interface Port(s): USB</p> <p>Control panel: LED status display with load and battery bar-graphs and On Line : On Battery : Replace Battery : and Overload Indicators</p> <p>Audible Alarm: Alarm when on battery : distinctive low battery alarm : overload continuous tone alarm</p>
<b>Surge Protection and Filtering</b>	<p>Surge energy rating: 273 Joules</p> <p>Data Line Protection: RJ-11 Modem/Fax protection</p>

